# FUTUREFUEL Superior chemistry. Sustainable fuels.

# SAFETY DATA SHEET

#### 1. Identification

Product identifier FutureChem® SSIPA

Other means of identification

Product code 03278

Recommended use Industrial chemical.

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Company name

FutureFuel Chemical Company

Address

2800 Gap Road Batesville, AR 72501

Telephone

870-698-3000

Contact person

Product Safety

**Emergency Telephone** 

CHEMTREC: US 800-424-9300, International 703-527-3887

**Email** 

productsafety@ffcmail.com

## 2. Hazard(s) identification

**Physical hazards** 

Not classified.

Health hazards

Serious eye damage/eye irritation

Category 1

Reproductive toxicity

Category 2

**OSHA** defined hazards

Combustible dust

Label elements



Signal word

Danger

Hazard statement

Causes serious eye damage. Suspected of damaging fertility or the unborn child. May form

combustible dust concentrations in air.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Prevent dust accumulation to minimize explosion hazard. Wear protective gloves/protective clothing/eye protection/face protection. Observe good industrial hygiene practices.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage

Store locked up. Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

# 3. Composition/information on ingredients

## **Substances**

Chemical name	Common name and synonyms	CAS number	%
1,3-Benzenedicarboxylic acid, 5-sulfo-, monosodium salt		6362-79-4	99.6

FutureChem® SSIPA

SDS US

902498 Version #: 01 Revision date: - Issue date: 09-January-2015

#### **Impurities**

Chemical name	CAS number	0.3	
Sodium sulfate	7757-82-6		
Sulfuric acid	7664-93-9	0.1	

#### Composition comments

Occupational Exposure Limits for impurities are listed in Section 8.

#### 4. First-aid measures

Inhalation

If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact Eve contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Apply extinguishing media carefully to avoid creating airborne dust.

Unsuitable extinguishing media

General information

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards

May form combustible dust concentrations in air.

# 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Use only non-sparking tools. Keep unnecessary personnel away. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust at levels exceeding the exposure limits. Keep people away from and upwind of spill/leak. Avoid inhalation of dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Ventilate closed spaces before entering them.

Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dike far ahead of spill for later disposal. Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

FutureChem® SSIPA

SDS US 902498 Version #: 01 Revision date: - Issue date: 09-January-2015

## 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat, spark, open flames and other sources of ignition. Do not smoke. Explosion-proof general and local exhaust ventilation. Do not breathe dust. Do not get this material in contact with eyes. Avoid prolonged exposure. Wash thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

impurities	туре	Value		
Sulfuric acid (CAS 7664-93-9)	PEL	1 mg/m3		
US. ACGIH Threshold Limit Va	llues			
Impurities	Туре	Value	Form	

7664-93-9) US. NIOSH: Pocket Guide to Chemical Hazards

Impurities	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m3	

#### **Biological limit values**

# Appropriate engineering

Sulfuric acid (CAS

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. Provide eyewash station.

0.2 mg/m3

Thoracic fraction.

# Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear suitable protective clothing.

TWA

Respiratory protection

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Solid.
Color White.
Odor Slight.
Odor threshold Not available.

FutureChem® SSIPA SDS US

рΗ Not available.

> 572 °F (> 300 °C) Melting point/freezing point

Initial boiling point and boiling

range

Not available.

Flash point

Not applicable.

**Evaporation rate** 

Not available.

Flammability (solid, gas)

Will burn if involved in a fire.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available.

Vapor density

Relative density

Not available.

Solubility(ies)

Solubility (water)

345 a/l

Partition coefficient

> 0.02 , Log P: < -1.7

(n-octanol/water)

Auto-ignition temperature

Not available.

**Decomposition temperature** 

(DSC) No exotherm to 500°C

**Viscosity** 

Not available.

Other information

**Dust explosion properties** 

Kst

66 bar.m/s

Limiting oxygen concentration (LOC) 15 - 16 % v/v

Minimum ignition

energy (MIE) - dust

> 10 J

cloud

Particle size

 $< 75 \mu m$ 

# 10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport,

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air). Keep away from heat, sparks and open flame.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Thermal decomposition of this product can generate carbon monoxide and carbon dioxide. Sulfur

oxides. Metal oxides.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation

Inhalation of dusts may cause respiratory irritation. Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Causes serious eye damage. Dust in the eyes will cause irritation.

Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

#### Information on toxicological effects

SDS US

Acute toxicity Not classified. **Product** Species Test Results 1,3-Benzenedicarboxylic acid, 5-sulfo-, monosodium salt (CAS 6362-79-4) Acute Dermal LD50 Guinea pig > 1000 mg/kg Rat > 2000 mg/kg Oral LD50 Rat > 3200 ma/ka Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Causes serious eye damage. Dust in the eyes will cause irritation. irritation Respiratory or skin sensitization Respiratory sensitization Not classified. Skin sensitization Not classified. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. OSHA Specifically Regulated Substances (29 CFR 1910,1001-1050) Not listed. Reproductive toxicity May damage fertility or the unborn child. Not classified.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure Aspiration hazard

Not classified.

Chronic effects

Prolonged inhalation may be harmful.

**Further information** 

No data available.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
1,3-Benzenedicarboxy	/lic acid, 5-sulfo-, m	nonosodium salt (CAS 6362-79-4)	
Aquatic			
Acute			
Algae	EC50	Pseudokirchnerella subcapitata	> 100 mg/l, 72 hours
Crustacea	LC50	Daphnia magna	> 100 mg/l, 48 hours
Fish	LC50	Pimephales promelas	> 100 mg/l, 96 hours
Other	LC50	Asellus intermedius	> 100 mg/l, 96 hours
		Dugesia tigrina	> 100 mg/l, 96 hours
		Lumbriculus variegatus	> 100 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** 

Not available.

Partition coefficient n-octanol / water (log Kow)

1,3-Benzenedicarboxylic acid, 5-sulfo-, monosodium salt

Revision date: -

> 0.02, Log P: < -1.7

5/7

(CAS 6362-79-4)

Mobility in soil The product is water soluble and may spread in water systems.

Issue date: 09-January-2015

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

FutureChem® SSIPA SDS US 902498 Version #: 01

#### 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable.

the IBC Code

# 15. Regulatory information

**US** federal regulations

All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard

29 CFR 1910.1200 (OSHA) and 8 CCR § 5194 (Cal/OSHA).

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** 

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value	
Sulfuric acid	7664-93-9	1000	1000 lbs			

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FutureChem® SSIPA SDS US US. New Jersey Worker and Community Right-to-Know Act

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium sulfate (CAS 7757-82-6)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains chemicals known to the State of California to cause cancer.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date 09-January-2015

Revision date Version # 01

NFPA ratings



#### List of abbreviations

EC50: Effective concentration, 50%. LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

References ECHA registered substances database

FutureFuel Chemical Company cannot anticipate all conditions under which this information and Disclaimer

its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

FutureChem® SSIPA SDS US 902498 Version #: 01 Revision date: - Issue date: 09-January-2015

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).